

REMARKS

Applicant respectfully requests that the foregoing amendments be made prior to examination of the present application.

Applicant believes that the present application is now in condition for allowance. Favorable consideration of the application as amended is respectfully requested.

The Examiner is invited to contact the undersigned by telephone if it is felt that a telephone interview would advance the prosecution of the present application.

Respectfully submitted,

Date January 4, 2005

FOLEY & LARDNER LLP  
Customer Number: 22428  
Telephone: (202) 672-5571  
Facsimile: (202) 672-5399

By Michael D. Kammerer  
Reg. No. 32,904, for

Harold C. Wegner  
Attorney for Applicant  
Registration No. 25,258

[0049] [Table 1]

Ingredient (%)	Comparative Example				Example			
	1	2	3	4	1	2	3	4
<u>Crystalline cellulose-Microcrystalline cellulose</u> (average particle diameter 4 micrometer)	3	3	3	3	3	3	3	3
Hydroxyethyl cellulose	1	3	1	1	1	1	1	1
Xanthan gum	-	-	1	1	-	-	-	-
Poloxamer 238 (Pluronic F88)	3	3	3	-	-	-	-	-
Polyoxyethylene (60 E.O.) hydrogenated castor oil HCO-60)	-	-	-	3	-	-	-	-
Lauryl glycoside-glucoside	-	-	-	-	3	-	-	-
Decaglycerin lauric acid ester	-	-	-	-	-	3	-	-
Sucrose lauric acid ester	-	-	-	-	-	-	3	-
Cocnut-oil fatty acid-amide-propyl-betaine-Cocamidopropyl betaine	-	-	-	-	-	-	-	1
Calcium-hydrogen-phosphate-Dicalcium phosphate	30	30	30	30	30	30	30	30
Perfume-Flavor	1	1	1	1	1	1	1	1
Saccharin sodium	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Titanium oxide	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Concentrated glycerin	20	20	20	20	20	20	20	20
Purified water	remainder	remainder	remainder	remainder	remainder	remainder	remainder	remainder
Stability with time	X	X	X	X	O	O	O	O

[0064] [Table 2]

Ingredient	Example 14	Example 15	Example 16	Example 17	Example 18	Comparative Ex. 5	Comparative Ex. 6	Comparative Ex. 7	Comparative Ex. 8
Cetylpyridinium chloride	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
<del>Crystalline—cellulose</del> <u>Microcrystalline cellulose</u>	4	4	4	3	3	-	-	-	-
Hydroxyethyl cellulose	-	-	-	1	1	4	4	4	-
Sodium carboxymethyl cellulose	-	-	-	-	-	-	-	-	1.5
Decyl glycoside glucoside	1	-	-	1	-	1	-	-	-
Lauryl glycoside glucoside	-	-	-	-	2	-	-	-	-
Coconut oil fatty acid amide—propyl betaine <u>Cocanidopropyl betaine</u>	-	1	-	-	-	-	1	-	1
Polyoxyethylene castor oil	-	-	1	-	-	-	-	1	-
<del>Galeum—hydrogen phosphate—Dicalcium phosphate</del> dihydrate	35	35	35	35	35	35	35	35	35
Saccharin sodium	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Titanium oxide	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
<u>Perfume Flavor</u>	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
Glycerin	15	15	15	15	15	15	15	15	15
Ion exchanged water	remainder	remainder	remainder	remainder	remainder	remainder	remainder	remainder	remainder
CPC amount (microgram/50 mg hydroxyapatite)	863	583	194	904	517	409	367	180	48